

MIL-DTL-83511/6B

REQUIREMENTS:


Interface: See figure 1. Figure 1 is for illustration purpose only and all referenced drawings and specifications cover design.

Earphones: 2 required, H-143/AIC, in accordance with MIL-PRF-25670 and MIL-PRF-25670/2.

Accessories: The headset shall be capable of operating with the following, which are not to be supplied as a part of the headset.

- Cord assembly - CX-12973/AR (P/N M22442/20-1) in accordance with MIL-DTL-22442/20.
- Cord assembly - CX-12988/AR (P/N M22442/23-1) in accordance with MIL-DTL-22442/23. (Impedance matching network).
- Cord assembly - CX-12974/AR (P/N M22442/21-1) in accordance with MIL-DTL-22442/21.
- Cord assembly - CX-12987/AR (P/N M22442/22-1) in accordance with MIL-DTL-22442/22. (Impedance matching network).
- Microphone dynamic - M-87/AIC in accordance with MIL-PRF-26542/2.

Wiring schematic: See figure 2.



HEADSET SCHEMATIC

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	LIVE WIRE	
		DIMENSIONS ARE IN INCHES TOLERANCES: \pm 0.010 FRACTIONAL \pm ANGULAR: MACH \pm BEND \pm TWO PLACE DECIMAL \pm THREE PLACE DECIMAL \pm	DRAWN	MC	8-25-18	TITLE:
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED			HEADSET ELECTRICAL H-173/AIC
		MATERIAL	ENG APPR.			
		FINISH	MFG APPR.			
		APPLICATION	COMMENTS:			SIZE DWG. NO. REV
						B H-173C-AIC
						SCALE: 1:1 WEIGHT: SHEET 1 OF 1